

STANDARD FORM 30 (REV.10-83)
REV BDO MARCH 2001

SPECIFICATIONS:

1) PAGE 01010-5: Delete paragraphs 1.4.7.1, 1.4.7.2, 1.4.7.3, and 1.4.7.4 in their entirety and substitute a new paragraph 1.4.7.1

1.4.7.1 Lead Based Paint

Lead based paint has been identified on various components of the building. The Contractor shall provide protection of his/her workers, personnel performing work unrelated to lead hazard control activities, and the environment in compliance with all applicable federal, state and local manuals and regulations. These aforementioned compliance manuals and regulations are inclusive of but not limited to the following:

- U. S. National Archive and Records Administration (NARA)

29 CFR 1910 Occupational Safety and Health Standards

29 CFR 1926.62 Lead Exposure in Construction Standards

40 CFR 260 Hazardous Waste Management Systems: General

- District of Columbia

DC Law 11-121 Lead –Based Paint Abatement and Control Act of 1996

DCMR Chapter 8 Title 20, Sections 199 and 806 (Revised)

DC Code 1981 Part 1, Title 6, Chapter 9, Subtitle IX

- U. S. Army Corps of Engineers (USACE)

EM 385-1-1 (1996) Safety and Health Requirements Manual

DRAWINGS:

2) SHEETS A901, A902, A903, and A904: Delete General Note 3 in it's entirety.